SERV-WARE Product Spec Sheet Double Sneeze Guards



Model No.

SG3-2, SG4-2, & SG5-2

Additional Sizes				
SG3-2				
SG4-2				
SG5-2				



60

Features:

- Stainless steel top
- · Double sided sneeze guards
- 6mm tempered glass guards
- · Allows access to food on both sides
- SG3-2 fits EST3-1 <u>only</u>
- SG4-2 fits EST4-1 & EST4-2 only
- SG5-2 fits EST5-2 <u>only</u>

Warranty Info:

One Year

- Replacement parts only.
- Valid in United States.
- Valid for commercial use only.

Revised 03/06/2024

SG3-2, SG4-2, & SG5-2







www.servware.com Phone:(800).768.5953 Fax:(800).976.1299

SG3-2 Double Sneeze Guards





Top View



Technical Information: -


MODEL #	DESCRIPTION	DIMENSIONS	WEIGHT/LBS.
		(W x D x H)	(Shipping)
SG3-2	Fits EST3-1	44" W x 22.5" D x 20" H	32 lbs.

The second

CONSTRUCTION


Stainless steel construction with single pane tempered glass windows






Phone:(800).768.5953 Fax:(800).976.1299

Copyright © 2024 Serv-Ware Products LLC



Top View



Technical Information: ·

MODEL #	DESCRIPTION	DIMENSIONS	WEIGHT/LBS.
		(W x D x H)	(Shipping)
SG4-2	Fits EST4-1 & EST4-2	58.2" W x 22.5" D x 20" H	38 lbs.

The second

CONSTRUCTION

Stainless steel construction with single pane tempered glass windows







Phone:(800).768.5953 Fax:(800).976.1299 www.servware.com

Copyright © 2024 Serv-Ware Products LLC

3



Top View




Technical Information:

MODEL #	DESCRIPTION	DIMENSIONS	WEIGHT/LBS.
		(W x D x H)	(Shipping)
SG5-2	Fits EST5-2	72.3" W x 22.5" D x 20" H	50 lbs.

The second

CONSTRUCTION

Stainless steel construction with single pane tempered glass windows





Phone:(800).768.5953 Fax:(800).976.1299

Copyright © 2024 Serv-Ware Products LLC

SERV-WARE

All Serv-Ware Work Tables, Overshelves, Guards, Cutting Board Kits, & Equipment Stands

Warran

Notify carrier of damage! Inspect all components immediately.

Serv-Ware Products warrants to the original owner/user that any product manufactured shall be free of defects in material or workmanship, under normal use and maintenance, for a period of one (1) year from the original installation date or a maximum of eighteen (18) months after the shipment date from Serv-Ware Products. Proper installation and start-up in accordance with the instruction manual supplied will be taken into consideration when evaluating the warranty on the specified equipment.

This warranty does not include labor charges. Serv-Ware Products reserves the right to have any warranty "failed" parts returned to the factory for inspection before agreeing to covering the above stated warranty.

This warranty does not include parts coverage resulting from:

- Adverse operating conditions for the product.
- Failure to clean and/or maintain the product.
- Standard wear & tear items.
- Damage that is caused by employees or customers.
- Any part or assembly that has been altered, modified, or changed.
- Equipment usage in a residential or non-commercial setting.

LIMITATION OF LIABILITY AND OTHER WARRANTIES

Serv-Ware Products assumes no liability for misuse or inadequate maintenance of the Product. In no event shall the user by entitled to recover incidental or consequential damages. Including but not limited to; damages for inconvenience, food loss, rental or replacement equipment, loss of profits, or other commercial loss. Warranties stated above are the only warranties made in connection with the sale and distribution of the Products. ANY AND ALL OTHER EXPRESSED STATUTORY AND IMPLIED WARRANTIES APPLICABLE TO THE PRODUCT INCLUDING, WITHOUT LIMITATION, ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR USE ARE EXPRESSLY DISCLAIMED. The warranty information set forth above shall be governed by and construed in accordance with the laws of the State of North Carolina and, if applicable, the laws of the United States of America. The warranty, as stated, is extended only to the original owner/user and is not assignable. Serv-Ware reserves the right to change product specifications without notice due to constant product improvement.



Phone:(800).768.5953 Fax:(800).976.1299 www.servware.com

Revised 03/05/2024